

Rhino Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

90900



To Order Fill in the frame dimensions and features required. For variations describe in detail on a separate page. If you have any further questions contact us at the address at the bottom of the page.

SEND FORM

If online, click here to send via e-mail

CLIENT DETAILS

Date

Name

Address

Phone

Fax / Cell

Email

Disability

Grading

Weight

Height

Shoe Size

T-Shirt Size

DELIVERY DETAILS

Required by

(Delivery is normally 4-6 weeks from order confirmation)

ADDITIONAL NOTES

(you can type here)

Rhino Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

Name _____

FOOTPLATE

- ☐ No Footplate
 ☐ Alloy Footplate Cover - adjustable **AD11690**
☐ Custom Alloy Footplate Cover **AD11691**
- ☐ Alloy Footplate Cover - fixed **AD11690**
☐ Alloy Footplate Cover - 4 post **AD11692**
(Heavy Duty)

ANTI-TIPS

- ☐ Twin Swivel (wide set) **AD15150**
☐ Alloy Plating on Anti Tip **AD15160**
☐ Space required under Castor (max 20mm)
- Plating on Anti Tip 
☐ Poly Plating on Anti Tip **AD15165**
☐ Anti Tip Protect - Straight Bar (height)
- ☐ Internal Plating on Anti Tip

BEARINGS

- ☐ Standard Bearings
 ☐ Melrose Hybrid Ceramic Bearings **AD20400**

CASTORS

- ☐ 76 Rollerblade (std)
 ☐ Other _____

UPHOLSTERY

- ☐ Seat Sling (std)
 ☐ No Cushion
 ☐ Hip Strap - webbing **AD16510**
- ☐ Rhino Back Upholstery Adjustable Height only (std) _____ (width)
 ☐ Cushion 1" **AD16201**
☐ Hip Strap - ratchet **AD16550**
- ☐ Rhino Back Upholstery Adjustable Width and Height **AD16050**
☐ Cushion 2" **AD16202**
☐ Foot Strap - webbing **AD16333**
- ☐ Back Bar Cover **AD16420**
☐ Foot Strap - ratchet **AD16350**
- ☐ Leg Strap **AD16330**
- ☐ Chest Strap **AD45210**
(measure around your chest and seat back)

- ☐ Gloves (style & size) _____
 ☐ Wheel Bag (Black with choice of trim colour) **AD16780** (Choose your trim colour) **Bk R Bl Y Gr Pk**
- ☐ Wheel Bag USA **AD16782**
☐ Classic
 ☐ Retro
 ☐ Dirty
- ☐ Custom Wheel Bag **AD16781** (describe below) _____

SKIRT GUARDS

- ☐ Fabric Skirt Guards **AD16100**
☐ Alloy Skirt Guards **AD16125** (height) _____

ACCESSORIES

- ☐ Ball Holder mounts **AD20350**
- ☐ Titanium Studs **AD20300**

Rhino Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

Seat Width - Rear

Seat Width - Front

A Seat Length**B** Back Width**C** Back Splay - Top**D** Back Splay - Length**E** Back Height**F** Back Angle**G** Seat to Footplate**H** Overall Frame Length

(centre of camber bar to front of pick bar)

I Wheel Base

(centre of camber bar to centre of pivot)

J Seat to Floor - Front**K** Seat to Floor - Rear**L** Balance Point**M** Pivot Centres

11.5	12	12.5	13	13.5	14
------	----	------	----	------	----

N Footplate Position**O** Between Wheels**P** Camber**WINGS**☐ Single Wings **AD20200**☐ Double Wings **AD20210**☐ Inverted Wings **AD20220**

Wing Height

PICK BAR☐ Standard ☐ Alloy ☐ Inverted☐ Steel (bolt on) 1/4" **AD20120**☐ Steel (bolt on) 8mm **AD20120**☐ Steel (bolt on) Flat Top PB005 **AD20100**☐ Titanium (bolt on) **AD20131**

Width

Height

Angle




Code PB -

Q ☐ Transfer Rail **AD20312****R** ☐ Holes for Bindings**S** ☐ Flexible Backpost Cap **AD20310**
(only available with fixed back)**T** Axle Receivers ☐ 1/2" (std)☐ 5/8" **AD12550**

Caster Position

☐ **U**☐ **V**

Name



Rhino Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

Name _____

☐ **NO WHEELS** Set the wheelchair up for: _____

WHEELS

TYRES

24"

- ☐ Spoked Wheels 1/2" axle (std)
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

24"

- ☐ 24" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Schwalbe Right Run **AD13740**
- ☐ Tufo Tubeless **AD13760**

25"

- ☐ Spoked Wheels 1/2" axle **AD13060**
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

25"

- ☐ 25" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Schwalbe Right Run **AD13740**
- ☐ Tufo Tubeless **AD13760**

26"

- ☐ Spoked Wheels 1/2" axle **AD13060**
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

26"

- ☐ 26" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Schwalbe Right Run **AD13740**
- ☐ Tufo Tubeless **AD13760**

PUSHRIMS

- ☐ Anodised Alloy (std) ☐ Rubber coated (red) **AD13845**

PUSHRIMS - POSITION

- ☐ Standard ☐ In close ☐ Onto rim

SPOKE GUARDS

- ☐ Nil ☐ Clear Polycarb Dish Spoke Guard **AD13920** ☐ 35mm hole
- ☐ Clear Polycarb Attacker Spoke Guard **AD13925** ☐ Other hole (size) _____
- ☐ Oversized Slotted Black Poly Dish Spoke Guard **AD13935**

SPOKE GUARDS with PUSHRIMS (ONE PIECE)

- ☐ Nil ☐ Alloy SG001 (16mm p/r) **AD13950** ☐ Alloy Poly SG006 (16mm p/r) **AD13955** ☐ Red Rubber Poly SG004 (16mm p/r) **AD13960**
- ☐ Alloy SG001 (19mm p/r) **AD13950** ☐ Alloy Poly SG006 (19mm p/r) **AD13955** ☐ Red Rubber Poly SG004 (19mm p/r) **AD13960**
- ☐ Alloy Poly Oversize SG006os **AD13956**

SPARE WHEELS as above

- ☐ Spoked Wheel 24" **AD13507** (quantity) _____
- ☐ Spoked Wheel 25"/26" **AD13561** (quantity) _____
- ☐ Spinergy SL Wheel **AD13641** (quantity) _____
- ☐ Spinergy SLX Wheel 1/2" axle **AD13651** (quantity) _____
- ☐ Spinergy SLX Wheel 5/8" axle **AD13661** (quantity) _____

TYRES, TUBES and AXLES on SPARE WHEELS

- ☐ Tube fitted **AD13695** (quantity) _____
- ☐ Kenda Tyre fitted **AD13701** (quantity) _____
- ☐ Schwalbe Tyre fitted **AD13741** (quantity) _____
- ☐ Axle 1/2" **AD12508** (quantity) _____
- ☐ Axle 5/8" **AD12510** (quantity) _____

SPOKE GUARDS for SPARE WHEELS as above ☐ FIT TO SPARE WHEEL

- ☐ Clear Polycarb Dish Spoke Guard **AD13921** (quantity) _____
- ☐ Clear Polycarb Attacker Spoke Guard **AD13926** (quantity) _____
- ☐ Oversized Slotted Black Poly Dish Spoke Guard **AD13936** (quantity) _____
- ☐ Red Rubber Pushrim **AD13846** (quantity) _____

DO NOT FIT TO SPARE WHEEL

- ☐ Alloy SG001 **AD13951** (quantity) _____
- ☐ Alloy Poly SG006 **AD13954** (quantity) _____
- ☐ Alloy Poly Oversize SG006os **AD13957** (quantity) _____
- ☐ Red Rubber Poly SG004 **AD13961** (quantity) _____

EXTRA AXLES

- ☐ Axles 1/2" **AD12514** ☐ Axles 5/8" **AD12516**

EXTRA BEARINGS

- ☐ Steel 608 5/16" **AD20402** ☐ Steel R8 1/2" **AD20405**
- ☐ Ceramic 608 5/16" **AD20403** ☐ Ceramic R8 1/2" **AD20407**