

Rhino Titanium Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

90900T



To Order Fill in the frame dimensions and features required. For variations describe in detail on a separate page. If you have any further questions contact us at the address at the bottom of the page.

SEND FORM

If online, click here to send via e-mail

CLIENT DETAILS

Date

Name

Address

Phone

Fax / Cell

Email

Disability

Grading

Weight

Height

Shoe Size

T-Shirt Size

DELIVERY DETAILS

Required by

(Delivery is normally 4-6 weeks from order confirmation)

ADDITIONAL NOTES

(you can type here)

Rhino Titanium Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

Name _____

FOOTPLATE

- ☐ No Footplate
 ☐ Alloy Footplate Cover - adjustable **AD11690**
☐ Custom Alloy Footplate Cover **AD11691**
☐ Alloy Footplate Cover - fixed **AD11690**
☐ Alloy Footplate Cover - 4 post **AD11692**
 (Heavy Duty)

ANTI-TIPS

- ☐ Twin Swivel (wide set) **AD15151**
☐ Space required under Castor (max 20mm)
☐ Poly Plating on Anti Tip **AD15166**
☐ Anti Tip Protect - Straight Bar (height)

BEARINGS

- ☐ Standard Bearings
 ☐ Melrose Hybrid Ceramic Bearings **AD20400**

CASTORS

- ☐ 76 Rollerblade (std)
 ☐ Other _____

UPHOLSTERY

- ☐ Seat Sling (std)
 ☐ No Cushion
 ☐ Hip Strap - webbing **AD16510**
☐ Rhino Back Upholstery Adjustable Height only (std) _____ (width)
 ☐ Cushion 1" **AD16201**
☐ Hip Strap - ratchet **AD16550**
☐ Rhino Back Upholstery Adjustable Width and Height **AD16050**
☐ Cushion 2" **AD16202**
☐ Foot Strap - webbing **AD16333**
☐ Back Bar Cover **AD16420**
☐ Foot Strap - ratchet **AD16350**
☐ Leg Strap **AD16330**
☐ Chest Strap **AD45210**
 (measure around your chest and seat back)

- ☐ Gloves (style & size) _____
 ☐ Wheel Bag (Black with choice of trim colour) **AD16780** (Choose your trim colour) **Bk R Bl Y Gr Pk**
☐ Wheel Bag USA **AD16782**
☐ Classic
 ☐ Retro
 ☐ Dirty
☐ Custom Wheel Bag **AD16781** (describe below)

SKIRT GUARDS

- ☐ Fabric Skirt Guards **AD16100**
☐ Alloy Skirt Guards - screw on **AD16130** (height)

ACCESSORIES

- ☐ Ball Holder Mounts **AD20350**
☐ Titanium Studs **AD20300**

Rhino Titanium Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

Seat Width - Rear _____

Seat Width - Front _____

A Seat Length _____

B Back Width _____

C Back Splay - Top _____

D Back Splay - Length _____

E Back Height _____

F Back Angle _____

G Seat to Footplate _____

H Overall Frame Length
(centre of camber bar to front of pick bar)

I Wheel Base
(centre of camber bar to centre of pivot)

J Seat to Floor - Front _____

K Seat to Floor - Rear _____

L Balance Point _____

M Pivot Centres 11.5 12 12.5 13 13.5 14

N Footplate Position _____

O Between Wheels _____

P Camber _____

WINGS

☐ Single Wings **AD20200**

☐ Double Wings **AD20210T**

☐ Inverted Wings **AD20220T**

Wing Height _____

PICK BAR

☐ Titanium (welded) **AD20132**

☐ Titanium (bolt on) **AD20131**

☐ Steel (bolt on) **AD20120**

Width _____ Height _____

Angle _____ Code PB - _____

Q ☐ Transfer Rail **AD20312**

R ☐ Holes for Bindings



S ☐ Flexible Backpost Cap **AD20310**
(only available with fixed back)

T Axle Receivers ☐ 1/2" (std)

☐ 5/8" **AD12550**

Castor Position ☐ **U** ☐ **V**

Name _____




ERGO SEAT OPTION AD10221

W Ergo Seat Length

X Ergo Back Height

Y Ergo Back Angle



Name _____

☐ **NO WHEELS** Set the wheelchair up for: _____

WHEELS

TYRES

24"	24"
☐ Spoked Wheels 1/2" axle (std)	☐ 24" x 1" High Pressure Smooth (std)
☐ Spinergy SL Wheels 1/2" axle (24 spoke) AD13410	☐ Kenda Ironcap Blue (std)
☐ Spinergy SLX Wheels 1/2" axle (24 spoke) AD13420	☐ Schwalbe Right Run AD13740
☐ Spinergy SLX Wheels 5/8" axle (24 spoke) AD13430	☐ Tufo Tubeless AD13760
25"	25"
☐ Spoked Wheels 1/2" axle AD13060	☐ 25" x 1" High Pressure Smooth (std)
☐ Spinergy SL Wheels 1/2" axle (24 spoke) AD13410	☐ Kenda Ironcap Blue (std)
☐ Spinergy SLX Wheels 1/2" axle (24 spoke) AD13420	☐ Schwalbe Right Run AD13740
☐ Spinergy SLX Wheels 5/8" axle (24 spoke) AD13430	☐ Tufo Tubeless AD13760
26"	26"
☐ Spoked Wheels 1/2" axle AD13060	☐ 26" x 1" High Pressure Smooth (std)
☐ Spinergy SL Wheels 1/2" axle (24 spoke) AD13410	☐ Kenda Ironcap Blue (std)
☐ Spinergy SLX Wheels 1/2" axle (24 spoke) AD13420	☐ Schwalbe Right Run AD13740
☐ Spinergy SLX Wheels 5/8" axle (24 spoke) AD13430	☐ Tufo Tubeless AD13760

PUSHRIMS

PUSHRIMS - POSITION

☐ Anodised Alloy (std) ☐ Rubber coated (red) **AD13845** ☐ Standard ☐ In close ☐ Onto rim

SPOKE GUARDS

☐ Nil ☐ Clear Polycarb Dish Spoke Guard **AD13920** ☐ 35mm hole
☐ Clear Polycarb Attacker Spoke Guard **AD13925** ☐ Other hole (size) _____
☐ Oversized Slotted Black Poly Dish Spoke Guard **AD13935**

SPOKE GUARDS with PUSHRIMS (ONE PIECE)

☐ Nil ☐ Alloy SG001 (16mm p/r) **AD13950** ☐ Alloy Poly SG006 (16mm p/r) **AD13955** ☐ Red Rubber Poly SG004 (16mm p/r) **AD13960**
☐ Alloy SG001 (19mm p/r) **AD13950** ☐ Alloy Poly SG006 (19mm p/r) **AD13955** ☐ Red Rubber Poly SG004 (19mm p/r) **AD13960**
☐ Alloy Poly Oversize SG006os **AD13956**

SPARE WHEELS as above

TYRES, TUBES and AXLES on SPARE WHEELS

☐ Spoked Wheel 24" **AD13507** (quantity) _____
☐ Spoked Wheel 25"/26" **AD13561** (quantity) _____
☐ Spinergy SL Wheel **AD13641** (quantity) _____
☐ Spinergy SLX Wheel 1/2" axle **AD13651** (quantity) _____
☐ Spinergy SLX Wheel 5/8" axle **AD13661** (quantity) _____
☐ Tube fitted **AD13695** (quantity) _____
☐ Kenda Tyre fitted **AD13701** (quantity) _____
☐ Schwalbe Tyre fitted **AD13741** (quantity) _____
☐ Axle 1/2" **AD12508** (quantity) _____
☐ Axle 5/8" **AD12510** (quantity) _____

SPOKE GUARDS for SPARE WHEELS as above ☐ FIT TO SPARE WHEEL

☐ DO NOT FIT TO SPARE WHEEL

☐ Clear Polycarb Dish Spoke Guard **AD13921** (quantity) _____
☐ Clear Polycarb Attacker Spoke Guard **AD13926** (quantity) _____
☐ Oversized Slotted Black Poly Dish Spoke Guard **AD13936** (quantity) _____
☐ Red Rubber Pushrim **AD13846** (quantity) _____
☐ Alloy SG001 **AD13951** (quantity) _____
☐ Alloy Poly SG006 **AD13954** (quantity) _____
☐ Alloy Poly Oversize SG006os **AD13957** (quantity) _____
☐ Red Rubber Poly SG004 **AD13961** (quantity) _____

EXTRA AXLES

EXTRA BEARINGS

☐ Axles 1/2" **AD12514** ☐ Axles 5/8" **AD12516** ☐ Steel 608 5/16" **AD20402** ☐ Steel R8 1/2" **AD20405**
☐ Ceramic 608 5/16" **AD20403** ☐ Ceramic R8 1/2" **AD20407**