

Warrior Script Form

Rugby League Sports Wheelchair 90906



To Order Fill in the frame dimensions and features required. For variations describe in detail on a separate page. If you have any further questions contact us at the address at the bottom of the page.

SEND FORM
If online, click here to send via e-mail

CLIENT DETAILS

Date	Disability
Name	Grading
Address	Weight
	Height
Phone	Shoe Size
Fax / Cell	T-Shirt Size
Email	

DELIVERY DETAILS

Required by
(Delivery is normally 4-6 weeks from order confirmation)

ADDITIONAL NOTES

(you can type here)

Warrior Script Form

Rugby League Sports Wheelchair

Name _____

FOOTPLATE

☐ Alloy tube footplate (std) ☐ Alloy footplate cover **AD11690** ☐ Footplate angle _____ (degrees)

ANTI-TIPS

☐ Twin swivel **AD15150** ☐ Single swivel **AD15100**

BEARINGS

☐ Standard bearings ☐ Melrose hybrid ceramic bearings **AD20400**

CASTORS

☐ Rollerblade (std) ☐ Other _____

SKIRT GUARDS

☐ Fabric skirt guards **AD16100** ☐ Alloy skirt guards **AD16125** ☐ Height _____

UPHOLSTERY

☐ Seat sling - Screw down (std)	☐ Standard adj width back (std)	☐ No Cushion	☐ Hip strap - webbing AD16510
☐ Seat sling - Wrap around	☐ Tension adjustable back AD16050	☐ Cushion 1" AD16201	☐ Hip strap - ratchet AD16550
		☐ Cushion 2" AD16202	☐ Leg strap AD16330
			☐ Knee strap - ratchet AD16351
			☐ Foot strap - webbing (std)
			☐ Foot strap - ratchet AD16350

☐ Back bar cover **AD16420** ☐ Chest strap **AD45210**
(measure around your chest and seat back)



ACCESSORIES

☐ Wheel bag (black with choice of trim colour) **AD16780** (Choose your trim colour) **Bk R Bl Y Gr Pk** ☐ Custom Wheel Bag **AD16781**
(describe below)

☐ Extra axles (quantity) _____

☐ Gloves _____
(style and size)

ADDITIONAL NOTES

(you can type here)

Warrior Script Form

Rugby League Sports Wheelchair

Seat Width - Rear

Name

Seat Width - Front

A1 Taper From

A Seat Length

B Back Width

C Back Splay - Top

D Back Splay - Length

E Back Height

F Back Angle

G Seat to Footplate

H Frame Length
(centre of camber bar to front of wing bar)

I Wheel Base
(centre of camber bar to centre of pivot)

J Seat to Floor - Front

K Seat to Floor - Rear

L Balance Point

M Pivot Centres

N Footplate Position

O Between Wheels

P Camber


Q ☐ Holes for Bindings

R ☐ Flexible Backpost Cap AD20310
(only available with fixed back)

Binding Mounts ☐ Std
☐ Custom AD20315

Axle Receivers ☐ 1/2" (std)
☐ 5/8" AD12550



ERGO SEAT OPTION AD10220



V Ergo Seat Length

W Ergo Back Height

X Ergo Back Angle



Warrior Script Form

Rugby League Sports Wheelchair

Name _____

WHEELS**TYRES****24"****24"**

- ☐ Spoked Wheels (std)
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

- ☐ 24" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Kenda Konstrictor (std)
- ☐ Schwalbe Right Run **AD13740**

25"**25"**

- ☐ Spoked Wheels **AD13050**
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

- ☐ 25" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Kenda Konstrictor (std)
- ☐ Kenda Kaliente **AD13721**
- ☐ Schwalbe Right Run **AD13740**
- ☐ Schwalbe Speedair **AD13770**

26"**26"**

- ☐ Spoked Wheels **AD13050**
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

- ☐ 26" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Schwalbe Right Run **AD13740**

27"**27"**

- ☐ Spoked Wheels **AD13050**
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**

- ☐ 27" x 1" High Pressure Smooth (std)

PUSHRIMS

- ☐ Anodised alloy (std) ☐ Rubber coated (red) **AD13845**

PUSHRIMS - POSITION

- ☐ Standard ☐ In close ☐ Onto rim

SPOKE GUARDS

- ☐ Nil ☐ Clear polycarb dish **AD13920** ☐ Clear polycarb attacker **AD13925** ☐ Alloy poly (16mm pushrim) **AD13955**
- ☐ Alloy poly (19mm pushrim) **AD13955** ☐ Oversized slotted black poly dish **AD13935**

SPARE WHEELS

- ☐ One spare wheel (as above) ☐ With spoke guard (as above) ☐ Pair of spare wheels (as above) ☐ With spoke guards (as above)